

Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)

Trade name: 2020-71C

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597459

Replaces Version: 1 / US

Print date: 22.07.15

## SECTION 1: Identification of the substance/mixture and of the company/undertaking

### 1.1. Product identifier

2020-71C

### 1.2. Relevant identified uses of the substance or mixture and uses advised

#### against Use of the substance/preparation

Digital ink

### 1.3. Details of the supplier of the safety data sheet

#### Address/Manufacturer

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### 1.4. Emergency telephone number

(+49) (0)621-60-43333

## SECTION 2: Hazards identification\*\*\*

### 2.1. Classification of the substance or mixture

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### 2.2. Label elements

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227

Combustible liquid



**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71C

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597459

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71C

### **1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by / Department product safety  
telephone

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person

responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71C

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597459

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71C

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information Department product safety

provided by /

telephone

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)

person

responsible for

this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71C

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597459

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71C

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71C

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597459

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71C

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71C

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597459

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71C

### **1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71C

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597459

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71C

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information Department product safety

provided by /

telephone

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)

person

responsible for

this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71C

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597459

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71C

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

H227

Combustible liquid



**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71C

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597459

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71C

### **1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave  
Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71C

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597459

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71C

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information Department product safety

provided by /

telephone

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)

person

responsible for

this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71C

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597459

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71C

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
Department product safety  
telephone

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)

person  
responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227

Combustible liquid

Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)

Trade name: 2020-71LC

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597455

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71LC

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave  
Clarendon Hills, IL 60514  
Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4  
Eye Dam. 1

H227  
H318

### **2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227

Combustible liquid



**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71LC

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597455

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71LC

### **1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave  
Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71LC

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597455

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71LC

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71LC

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597455

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71LC

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71LC

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597455

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71LC

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave  
Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

H227

Combustible liquid



**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71LC

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597455

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71LC

### **1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71LC

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597455

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71LC

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

#### **Hazard pictograms**



#### **Signal word**

Danger

#### **Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71LC

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597455

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71LC

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

#### **Hazard pictograms**



#### **Signal word**

Danger

#### **Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71LC

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597455

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71LC

### **1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave  
Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
Department product safety  
telephone

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71LC

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597455

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71LC

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71LC

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597455

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71LC

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™  
216 S Prospect Ave  
Clarendon Hills, IL 60514  
Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety  
E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4	H227
Eye Dam. 1	H318

### **2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227 Combustible liquid

Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)

Trade name: 2020-71M

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597438

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71M

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227

Combustible liquid



**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71M

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597438

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71M

### **1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave  
Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227

Combustible liquid



**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71M

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597438

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71M

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information Department product safety

provided by /

telephone

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)

person

responsible for

this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71M

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597438

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71M

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71M

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597438

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71M

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71M

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597438

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71M

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71M

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597438

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71M

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71M

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597438

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71M

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71M

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597438

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71M

### **1.2. Relevant identified uses of the substance or mixture and uses advised against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave  
Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71M

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597438

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71M

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227

Combustible liquid





# Material Safety Data Sheet

Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)

Trade name: 2020-71LM

Version: 2 / US

Date revised: 20.07.2015

Substance number: 362597434

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71LM

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### **Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by / Department product safety  
telephone

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)

person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\* 2.1.**

### **Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4 H227

Eye Dam. 1 H318

STOT SE 3 H336

### **2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

#### **Hazard pictograms**



#### **Signal word**

Danger

#### **Hazard statements**



## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71LM

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### **Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by / Department product safety  
telephone

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)

person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\* 2.1.**

### **Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4	H227
Eye Dam. 1	H318
STOT SE 3	H336

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71LM

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### **Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
Department product safety  
telephone

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)

person  
responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\* 2.1.**

### **Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4	H227
Eye Dam. 1	H318
STOT SE 3	H336

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71LM

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### **Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person

responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\* 2.1.**

### **Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4	H227
Eye Dam. 1	H318
STOT SE 3	H336

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71LM

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### **Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)

person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\* 2.1.**

### **Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4	H227
Eye Dam. 1	H318
STOT SE 3	H336

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71LM

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### **Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)

person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\* 2.1.**

### **Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4	H227
Eye Dam. 1	H318
STOT SE 3	H336

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71LM

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### **Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information Department product safety

provided by /  
telephone

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)

person  
responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\* 2.1.**

### **Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4	H227
Eye Dam. 1	H318
STOT SE 3	H336

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71LM

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### **Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information Department product safety

provided by /  
telephone

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)

person  
responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\* 2.1.**

### **Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4	H227
Eye Dam. 1	H318
STOT SE 3	H336

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

#### **Hazard pictograms**



#### **Signal word**

Danger

#### **Hazard statements**



## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71LM

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### **Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
Department product safety  
telephone

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person

responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\* 2.1.**

### **Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4	H227
Eye Dam. 1	H318
STOT SE 3	H336

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71LM

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### **Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)

person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\* 2.1.**

### **Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4	H227
Eye Dam. 1	H318
STOT SE 3	H336

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71LM

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### **Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety  
E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\* 2.1.**

### **Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4 H227

Eye Dam. 1 H318

STOT SE 3 H336

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

##### **Hazard pictograms**



##### **Signal word**

Danger

##### **Hazard statements**

Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)

Trade name: 2020-71Y

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597428

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71Y

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### **Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™  
216 S Prospect Ave  
Clarendon Hills, IL 60514  
Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety  
E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4	H227
Eye Dam. 1	H318

### **2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227

Combustible liquid



**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71Y

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597428

Replaces Version: 1 / US

Print date: 22.07.15

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

2020-71Y

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/preparation**

Digital ink

**1.3. Details of the supplier of the safety data sheet**

**Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by / Department product safety  
telephone

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)

person responsible for  
this SDS

**1.4. Emergency telephone number**

(+49) (0)621-60-43333

**SECTION 2: Hazards identification\*\*\***

**2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

**2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71Y

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597428

Replaces Version: 1 / US

Print date: 22.07.15

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

2020-71Y

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/preparation**

Digital ink

**1.3. Details of the supplier of the safety data sheet**

**Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)

person responsible for  
this SDS

**1.4. Emergency telephone number**

(+49) (0)621-60-43333

**SECTION 2: Hazards identification\*\*\***

**2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

**2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71Y

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597428

Replaces Version: 1 / US

Print date: 22.07.15

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

2020-71Y

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/preparation**

Digital ink

**1.3. Details of the supplier of the safety data sheet**

**Address/Manufacturer**

20/20 Color™  
216 S Prospect Ave  
Clarendon Hills, IL 60514  
Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety  
E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

**1.4. Emergency telephone number**

(+49) (0)621-60-43333

**SECTION 2: Hazards identification\*\*\***

**2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4	H227
Eye Dam. 1	H318

**2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227 Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71Y

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597428

Replaces Version: 1 / US

Print date: 22.07.15

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

2020-71Y

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/preparation**

Digital ink

**1.3. Details of the supplier of the safety data sheet**

**Address/Manufacturer**

20/20 Color™  
216 S Prospect Ave  
Clarendon Hills, IL 60514  
Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety  
E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

**1.4. Emergency telephone number**

(+49) (0)621-60-43333

**SECTION 2: Hazards identification\*\*\***

**2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4	H227
Eye Dam. 1	H318

**2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227 Combustible liquid



**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71Y

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597428

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71Y

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### **Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)

person  
responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4	H227
Eye Dam. 1	H318

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

#### **Hazard pictograms**



#### **Signal word**

Danger

#### **Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71Y

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597428

Replaces Version: 1 / US

Print date: 22.07.15

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

2020-71Y

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/preparation**

Digital ink

**1.3. Details of the supplier of the safety data sheet**

**Address/Manufacturer**

20/20 Color™  
216 S Prospect Ave  
Clarendon Hills, IL 60514  
Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety  
E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

**1.4. Emergency telephone number**

(+49) (0)621-60-43333

**SECTION 2: Hazards identification\*\*\***

**2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4	H227
Eye Dam. 1	H318

**2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227 Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71Y

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597428

Replaces Version: 1 / US

Print date: 22.07.15

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

2020-71Y

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/preparation**

Digital ink

**1.3. Details of the supplier of the safety data sheet**

**Address/Manufacturer**

20/20 Color™  
216 S Prospect Ave  
Clarendon Hills, IL 60514  
Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety  
E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

**1.4. Emergency telephone number**

(+49) (0)621-60-43333

**SECTION 2: Hazards identification\*\*\***

**2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4	H227
Eye Dam. 1	H318

**2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227 Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71Y

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597428

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71Y

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### **Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
Department product safety  
telephone

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)

person  
responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71Y

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597428

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71Y

### **1.2. Relevant identified uses of the substance or mixture and uses advised against**

#### **Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)

person  
responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

#### **Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4	H227
Eye Dam. 1	H318

### **2.2. Label elements**

#### **Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

#### **Hazard pictograms**



#### **Signal word**

Danger

#### **Hazard statements**

H227

Combustible liquid

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71Y

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597428

Replaces Version: 1 / US

Print date: 22.07.15

**SECTION 1: Identification of the substance/mixture and of the company/undertaking**

**1.1. Product identifier**

2020-71Y

**1.2. Relevant identified uses of the substance or mixture and uses advised against**

**Use of the substance/preparation**

Digital ink

**1.3. Details of the supplier of the safety data sheet**

**Address/Manufacturer**

20/20 Color™  
216 S Prospect Ave  
Clarendon Hills, IL 60514  
Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety  
E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

**1.4. Emergency telephone number**

(+49) (0)621-60-43333

**SECTION 2: Hazards identification\*\*\***

**2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4	H227
Eye Dam. 1	H318

**2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227 Combustible liquid

Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)

Trade name: 2020-71K

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597489

Replaces Version: 1 / US

Print date: 22.07.15

## **SECTION 1: Identification of the substance/mixture and of the company/undertaking**

### **1.1. Product identifier**

2020-71K

### **1.2. Relevant identified uses of the substance or mixture and uses advised**

#### **against Use of the substance/preparation**

Digital ink

### **1.3. Details of the supplier of the safety data sheet**

#### **Address/Manufacturer**

20/20 Color™

216 S Prospect Ave

Clarendon Hills, IL 60514

Telephone no. 1-877-300-4771

Information provided by /  
telephone Department product safety

E-mail address of [20-20Color@grimco.com](mailto:20-20Color@grimco.com)  
person responsible for  
this SDS

### **1.4. Emergency telephone number**

(+49) (0)621-60-43333

## **SECTION 2: Hazards identification\*\*\***

### **2.1. Classification of the substance or mixture**

**Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))**

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4

H227

Eye Dam. 1

H318

### **2.2. Label elements**

**Labelling according to Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication)**

**Hazard pictograms**



**Signal word**

Danger

**Hazard statements**

H227

Combustible liquid



**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71K

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597489

Replaces Version: 1 / US

Print date: 22.07.15

H318 Causes serious eye damage.

**Precautionary statements**

**Prevention**

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P280 Wear protective gloves/protective clothing/eye protection/face protection.

**Response**

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P310 Immediately call a POISON CENTER or doctor.

**Storage/Disposal**

P403+P235 Store in a well-ventilated place. Keep cool.  
P501.1 Dispose of contents/container to industrial incineration plant.

**Hazardous component(s) to be indicated on label**

contains Gamma-butyrolactone

**2.3. Other hazards**

No special hazards have to be mentioned.

**SECTION 3: Composition/information on ingredients \*\*\***

**3.2. Mixtures**

**Chemical characterization**

Ink based on VC-copolymers and on solvents **Hazardous ingredients**

**(2-Ethoxyethyl)methyl ether**

CAS No. 1002-67-1  
EINECS no. 213-690-5  
Concentration >= 50 < 100 %

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Flam. Liq. 4 H227  
Eye Irrit. 2 H319

**Gamma-butyrolactone**

CAS No. 96-48-0  
EINECS no. 202-509-5  
Registration no. 01-2119471839-21  
Concentration >= 10 < 20 %

Classification (Occupational Safety and Health Administration (OSHA), DOL, 29 CFR 1910.1200 (Hazard Communication))

Acute Tox. 4 H302  
Eye Dam. 1 H318  
STOT SE 3 H336

**SECTION 4: First aid measures**

**4.1. Description of first aid measures**

**General information**



**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71K

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597489

Replaces Version: 1 / US

Print date: 22.07.15

In all cases of doubt, or when symptoms persist, seek medical attention. Never give anything by mouth to an unconscious person. If unconscious place in recovery position and seek medical advice.

**After inhalation**

Remove to fresh air, keep patient warm and at rest. If breathing is irregular or stopped, administer artificial respiration.

**After skin contact**

Affected skin should first be dabbed with cotton wool, then washed with plenty of water and a mild cleanser. After contact with skin, wash immediately with plenty of water. In case of contact with skin wash off with warm water. Do not pull solidified product from skin.

**After eye contact**

Remove contact lenses, irrigate copiously with clean, fresh water, holding the eyelids apart for at least 10 minutes and seek immediate medical advice.

**After ingestion**

If accidentally swallowed rinse the mouth with plenty of water (only if the person is conscious) and obtain immediate medical attention. Keep at rest. Do NOT induce vomiting.

**4.2. Most important symptoms and effects, both acute and delayed**

Until now no symptoms known so far.

**4.3. Indication of any immediate medical attention and special treatment needed**

**Hints for the physician / treatment**

Treat symptomatically

**SECTION 5: Firefighting measures**

**5.1. Extinguishing media**

**Suitable extinguishing media**

Recommended: alcohol resistant foam, CO<sub>2</sub>, powders, water spray/mist, Not be used for safety reasons: water jet

**5.2. Special hazards arising from the substance or mixture**

In the event of fire the following can be released: Carbon dioxide (CO<sub>2</sub>); Carbon monoxide (CO); dense black smoke; Hydrogen chloride (HCl)

**5.3. Advice for firefighters**

**Special protective equipment for fire-fighting**

Cool closed containers exposed to fire with water. Do not allow run-off from fire fighting to enter drains or water courses.

**SECTION 6: Accidental release measures**

**6.1. Personal precautions, protective equipment and emergency procedures**

Exclude sources of ignition and ventilate the area. Avoid breathing vapours. Refer to protective measures listed in Sections 7 and 8.

**6.2. Environmental precautions**

Do not allow to enter drains or waterways. If the product contaminates lakes, rivers or sewage, inform appropriate authorities in accordance with local regulations.

**6.3. Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible absorbent materials, e.g. sand, earth, vermiculite, diatomaceous earth and place in container for disposal according to local regulations (see section 13). Clean preferably with a detergent - avoid use of solvents.

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71K

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597489

Replaces Version: 1 / US

Print date: 22.07.15

## **6.4. Reference to other sections**

Information regarding Safe handling, see Section 7. Information regarding personal protective measures, see Section 8. Information regarding waste disposal, see Section 13.

## **SECTION 7: Handling and storage**

### **7.1. Precautions for safe handling**

#### **Advice on safe handling**

Prevent the creation of flammable or explosive concentrations of vapour in air and avoid vapour concentration higher than the occupational exposure limits. In addition, the product should only be used in areas from which all naked lights and other sources of ignition have been excluded. Electrical equipment should be protected to the appropriate standard. Mixture may charge electrostatically: always use earthing leads when transferring from one container to another. Operators should wear anti-static footwear and clothing and floors should be of the conducting type. Isolate from sources of heat, sparks and open flame. No sparking tools should be used. Avoid skin and eye contact. Avoid the inhalation of particulates and spray mist arising from the application of this mixture. Smoking, eating and drinking shall be prohibited in application area. For personal protection see Section 8. Never use pressure to empty; container is not a pressure vessel. Always keep in containers of same material as the original one. Comply with the health and safety at work laws. Do not allow to enter drains or water courses.

#### **Advice on protection against fire and explosion**

Vapours are heavier than air and may spread along floors. Vapours may form explosive mixtures with air.

#### **Classification of fires / temperature class / Ignition group / Dust explosion class**

Classification of fires	B (Combustible liquid substances)
Temperature class	T4

### **7.2. Conditions for safe storage, including any incompatibilities**

#### **Requirements for storage rooms and vessels**

Requirements for storage rooms and vessels: Electrical installations/working materials must comply with the local applied technological safety standards. Storage rooms in which filling operations take place must have a conducting floor. Store in accordance with national regulation

#### **Hints on storage assembly**

Store away from oxidising agents, from strongly alkaline and strongly acid materials. **Further information on storage conditions**

Observe label precautions. Store between 59 and 86 °F in a dry, well ventilated place away from sources of heat and direct sunlight. Keep container tightly closed. Keep away from sources of ignition. No smoking. Prevent unauthorised access. Containers which are opened must be carefully resealed and kept upright to prevent leakage.

### **7.3. Specific end use(s)**

Digital ink

## **SECTION 8: Exposure controls/personal protection**

### **8.2. Exposure controls**

#### **Exposure controls**

Provide adequate ventilation. Where reasonably practicable this should be achieved by the use of local exhaust ventilation and good general extraction. If these are not sufficient to maintain concentrations of particulates and solvent vapour below the OEL, suitable respiratory protection must be worn.

#### **Respiratory protection**

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71K

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597489

Replaces Version: 1 / US

Print date: 22.07.15

If workers are exposed to concentrations above the exposure limit they must use appropriate, certified respirators. Full mask, filter A

### Hand protection

There is no one glove material or combination of materials that will give unlimited resistance to any individual or combination of chemicals.

For prolonged or repeated handling nitrile rubber gloves with textile undergloves are required.

Material thickness < 0.5 mm

Breakthrough time > 30 min

The breakthrough time must be greater than the end use time of the product.

The instructions and information provided by the glove manufacturer on use, storage, maintenance and replacement must be followed.

Gloves should be replaced regularly and if there is any sign of damage to the glove material.

Always ensure that gloves are free from defects and that they are stored and used correctly.

The performance or effectiveness of the glove may be reduced by physical/ chemical damage and poor maintenance.

Barrier creams may help to protect the exposed areas of the skin, they should however not be applied once exposure has occurred.

### Eye protection

Use safety eyewear designed to protect against splash of liquids.

### Body protection

Cotton or cotton/synthetic overalls or coveralls are normally suitable.

## **SECTION 9: Physical and chemical properties**

### **9.1. Information on basic physical and chemical properties**

<b>Form</b>	Liquid	
<b>Colour</b>	coloured	
<b>Odour</b>	solvent-like	
<b>Odour threshold</b>		
Remarks	No data available	
<b>pH value</b>		
Remarks	Not applicable	
<b>Melting point</b>		
Remarks	not determined	
<b>Freezing point</b>		
Remarks	not determined	
<b>Initial boiling point and boiling range</b>		
Value	appr. 343	°F
Pressure	1,013	hPa
Source	Literature value	
<b>Flash point</b>		
Value	143.6	°F
Method	ASTM D 6450 (CCCFP)	
<b>Evaporation rate (ether = 1) :</b>		
Remarks	not determined	
<b>Flammability (solid, gas)</b>		
Not applicable		
<b>Upper/lower flammability or explosive limits</b>		
Lower explosion limit	appr. 2.7	%(V)
Upper explosion limit	appr. 15.6	%(V)

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71K

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597489

Replaces Version: 1 / US

Print date: 22.07.15

Source Literature value

**Vapour pressure**

Value < 1 hPa  
Temperature 68 °F  
Method calculated

**Vapour density**

Remarks not determined

**Density**

Value 0.981 g/cm<sup>3</sup>  
Temperature 68 °F  
Method DIN EN ISO 2811

**Solubility in water**

Remarks partially miscible

**Partition coefficient: n-octanol/water**

Remarks Not applicable

**Ignition temperature**

Value appr. 345 °F  
Source Literature value

**Efflux time**

Value < 12 s  
Temperature 68 °F  
Method DIN 53211 4 mm

**Explosive properties**

evaluation no

**Oxidising properties**

evaluation None known

**VOC content**

VOC (EU) 91.42 %

**9.2. Other information**

**Other information**

The physical specifications are approximate values and refer to the used safety relevant component(s).

**SECTION 10: Stability and reactivity**

**10.1. Reactivity**

No hazardous reactions when stored and handled according to prescribed instructions.

**10.2. Chemical stability**

Stable under recommended storage and handling conditions (see section 7).

**10.3. Possibility of hazardous reactions**

Keep away from oxidising agents, strongly alkaline and strongly acid materials in order to avoid exothermic reactions.

**10.4. Conditions to avoid**

When exposed to high temperatures may produce hazardous decomposition products.

**10.5. Incompatible materials**

No hazardous reactions when stored and handled according to prescribed instructions.

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71K

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597489

Replaces Version: 1 / US

Print date: 22.07.15

## 10.6. Hazardous decomposition products

See chapter 5.2 (Firefighting measures - Special hazards arising from the substance or mixture).

## **SECTION 11: Toxicological information**

### 11.1. Information on toxicological effects

#### **National Toxicology Program (NTP)**

The product does not contain any listed components.

#### **International Agency for research on Cancer (IARC)**

The product does not contain any listed components.

#### **Acute oral toxicity**

ATE	>	2,000	mg/kg
Method		calculated value	

#### **Acute oral toxicity (Components)**

##### **Gamma-butyrolactone**

Species	rat		
LD50		1582	mg/kg
Method		OECD 401	

#### **Experience in practice**

Exposure to component solvents vapours concentration in excess of the stated occupational exposure limit may result in adverse health effects such as mucous membrane and respiratory system irritation and adverse effects on kidney, liver and central nervous system. Symptoms and signs include headache, dizziness, fatigue, muscular weakness, drowsiness and in extreme cases, loss of consciousness. Solvents may cause some of the above effects by absorption through the skin. Repeated or prolonged contact with the mixture may cause removal of natural fat from the skin resulting in non-allergic contact dermatitis and absorption through the skin. The liquid splashed in the eyes may cause irritation. Causes serious eye damage. Ingestion may cause nausea, diarrhoea and vomiting. This takes into account, where known, delayed and immediate effects and also chronic effects of components from short-term and long-term exposure by oral, inhalation and dermal routes of exposure and eye contact.

#### **Other information**

There are no data available on the mixture itself.

The mixture has been assessed following the additivity method of the GHS Regulation and classified for toxicological hazards accordingly.

## **SECTION 12: Ecological information**

### 12.1. Toxicity

#### **General information**

There are no data available on the mixture itself. Do not allow to enter drains or water courses. The mixture has been assessed following the summation method of the GHS Regulation and is not classified as dangerous for the environment.

### 12.2. Persistence and degradability

#### **General information**

There are no data available on the mixture itself.

### 12.3. Bioaccumulative potential

#### **General information**

There are no data available on the mixture itself.

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71K

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597489

Replaces Version: 1 / US

Print date: 22.07.15

**Partition coefficient: n-octanol/water**

Remarks

Not applicable

**12.4. Mobility in soil**

**General information**

There are no data available on the mixture itself.

**12.5. Results of PBT and vPvB assessment**

**General information**

There are no data available on the mixture itself.

**12.6. Other adverse effects**

**General information**

There are no data available on the mixture itself.

**SECTION 13: Disposal considerations**

**13.1. Waste treatment methods**

**Disposal recommendations for the product**

Do not allow to enter drains or water courses.

Wastes and emptied containers should be classified in accordance with relevant national regulation.

If this product is mixed with other wastes, the original waste product code may no longer apply and the appropriate code should be assigned.

For further information contact your local waste authority.

**Disposal recommendations for packaging**

Using information provided in this safety data sheet, advice should be obtained from the relevant waste authority on the classification of empty containers.

Empty containers must be scrapped or reconditioned.

Not emptied containers are hazardous waste.

**SECTION 14: Transport information\*\*\***

**Land transport USDOT**

Non-dangerous goods

**14.1. UN number**

UN -

**14.2. UN proper shipping name**

-

**14.3. Transport hazard class(es)**

Class -

Label -

**14.4. Packing group**

Packing group -

**14.5. Environmental hazards**

-

**Marine transport IMDG**

The product does not constitute a hazardous substance in sea transport.

**14.1. UN number**

UN -

**14.2. UN proper shipping name**

-

**14.3. Transport hazard class(es)**

Class -

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71K

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597489

Replaces Version: 1 / US

Print date: 22.07.15

- Subsidiary risk -
- 14.4. Packing group**
- Packing group -
- 14.5. Environmental hazards**
- no

**Air transport ICAO/IATA**

The product does not constitute a hazardous substance in air transport.

- 14.1. UN number**
- UN -
- 14.2. UN proper shipping name**
- 
- 14.3. Transport hazard class(es)**
- Class -
- Subsidiary risk -
- 14.4. Packing group**
- Packing group -
- 14.5. Environmental hazards**
- 

**Information for all modes of transport**

- 14.6. Special precautions for user**
- Transport within the user's premises:
- Always transport in closed containers that are upright and secure.
- Ensure that persons transporting the product know what to do in the event of an accident or spillage.

**Other information**

- 14.7. Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code**
- no

**SECTION 15: Regulatory information**

**15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

**Other information**

All components are contained in the TSCA inventory or exempted.  
All components are contained in the ECL inventory.

**US. EPA CERCLA Hazardous Substances (40 CFR 302): Reportable Quantity**

Components: (2-Ethoxyethyl)methyl ether

**US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 302 Extremely Hazardous Substance (40 CFR 355)**

The product does not contain any listed components.

**US. EPA Emergency Planning and Community Right-To-Know Act (EPCRA) SARA Title III Section 313 Toxic Chemicals (40 CFR 372.65) - Supplier Notification Required**

Components: (2-Ethoxyethyl)methyl ether

**Clean Water Act (CWA) Section 307 Toxic Pollutants (40 CFR 401.15)**

The product does not contain any listed components.

**Clean Water Act (CWA) Section 311 Toxic Pollutants (40 CFR 116.4)**

The product does not contain any listed components.

**Clean Air Act (CAA) Section 112 Regulated Toxic Substances And Threshold Quantities For Accidental Release Prevention (40 CFR 68.130 Table 1+2)**

The product does not contain any listed components.

**Clean Air Act (CAA) Section 112 Regulated Flammable Substances And Threshold**

**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71K

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597489

Replaces Version: 1 / US

Print date: 22.07.15

**Quantities For Accidental Release Prevention (40 CFR 68.130 Table 3+4)**

The product does not contain any listed components.

**California Safe Drinking Water and Toxic Enforcement Act (Proposition 65)**

Warning! This product may contain trace quantities of substance(s) known to the state of California to cause cancer and/or reproductive toxicity - not added as a part of the formulation but remaining as residuals from the manufacturing process of our raw material suppliers.

**Right-To-Know State List: Florida**

The product does not contain any listed components.

**Right-To-Know State List: Massachusetts**

The product does not contain any listed components. **Right-To-Know State List: Minnesota**

The product does not contain any listed components.

**Right-To-Know State List: New Jersey**

The product does not contain any listed components. **Right-To-Know State List: New York**


The product does not contain any listed components.

**Right-To-Know State List: Pennsylvania**

The product does not contain any listed components.

**Right-To-Know State List: Rhode Island**

The product does not contain any listed components. **NFPA Rating Information**



**HMIS® Rating Information**

Health	3
Flammability	2
Physical Hazard	0
Personal Protection	E

**SECTION 16: Other information\*\*\***

**Hazard statements listed in Chapter 3**

H227	Combustible liquid.
H302	Harmful if swallowed.
H318	Causes serious eye damage.
H319	Causes serious eye irritation.
H336	May cause drowsiness or dizziness.

**CLP categories listed in Chapter 3**

Flam. Liq. 4	Flam. Liq., Category 4
Acute Tox. 4	Acute toxicity, Category 4
Eye Dam. 1	Serious eye damage, Category 1



**Safe Data Sheet according to U.S. DOL, OSHA, 29 CFR 1910.1200, The Hazard Communication Standard (HCS)**

Trade name: 2020-71K

Version: 2 / US

Date revised: 14.07.2015

Substance number: 362597489

Replaces Version: 1 / US

Print date: 22.07.15

Eye Irrit. 2  
STOT SE 3

Eye irritation, Category 2  
Specific target organ toxicity - single exposure, Category 3

**Supplemental information**

Relevant changes compared with the previous version of the safety data sheet are marked with:  
\*\*\* This information is based on our present state of knowledge. However, it should not constitute a guarantee for any specific product properties and shall not establish a legally valid relationship.